

IN THE SPECIFICATION

Please replace the paragraphs at page 1, lines 1-6 with the following paragraphs:

~~DESCRIPTION~~

TITLE OF THE INVENTION

ELECTRONIC ~~ELECTRONIC~~ DEVICE/APPARATUS AND OPERATING
INSTRUCTIONS DISPLAY METHOD

CROSS REFERENCE TO RELATED APPLICATIONS

This application is filed under 35 U.S.C. §371 for PCT/JP04/08782, filed June 16, 2004, and is based upon and claims priority under 35 U.S.C. §119 from Japanese Patent Application No. 2003-171360, filed June 16, 2003.

FIELD OF THE INVENTION

~~Technical Field~~

Please replace the paragraph at page 1, line 12 with the following rewritten paragraphs:

~~Background Art~~

BACKGROUND OF THE INVENTION

Please insert the following paragraph at page 3, line 16:

SUMMARY OF THE INVENTION

Please replace the paragraphs at page 9, line 21 with the following rewritten paragraphs:

~~Best Mode for Carrying out the Invention~~

DETAILED DESCRIPTION OF THE INVENTION

Application No. 10/559,662
Reply to Office Action of May 24, 2007

Please replace the abstract at page 31 with the following rewritten abstract:

An ~~Disclosed~~ is an electronic device/apparatus is capable of displaying an animation that varies with internal settings and minimizing the amount of memory use for handling information for animation generation. When a shutter button (12) is pressed in a help display mode, flash ON/OFF setup information (52) stored in an EEPROM (25) is referenced. If the value of the flash ON/OFF setup information is ON, a three-dimensional animation in which a flash (104) on a three-dimensional model (71) emits light is created and displayed in accordance with three-dimensional model data. If, on the other hand, the value is OFF, a three-dimensional animation in which the flash (104) on the three-dimensional (71) model does not emit light is displayed. Consequently, the user can recognize visually and intuitively the difference among various digital camera (100) motions that vary with system settings.